

ENVIRONMENTAL CLEARANCE COMPLIANCE REPORT

01. **Name of the Project :** Expansion of Clinker Production (4.0 million TPA to 4.80 million TPA) of M/s. BINANI CEMENT LIMITED, at Pindwara, Sirohi Distt. Rajasthan state.
02. **MoEF Clearance No. & Date :** Environment Clearance (EC) No. J-11011/59/2010- IA II (I) dated 01st May, 2010
All the conditions of the EC No.J-11011/40/95-IA-II(I) dated 25.04.1996 & EC No. J-11011/66/2006- IA II (I) dated 18th May, 2006 are complied.
Present status of overall environmental performance vide EC No. J-11011/59/2010- IA II (I) dated 01st May, 2010 for 4.80 MTPA Cement Plant of Binani Cement Ltd., Binanigram, Pindwara is given hereunder:
03. **Period of Compliance Report :** From 01.04.2012 to 30.09.2012

COMPLIANCE TO THE STIPULATED CONDITIONS OF EC DATED 01/05/2010

(A) SPECIFIC CONDITIONS

S. No.	EC CONDITIONS	Compliance Status
1	Compliance to all the specific and general conditions stipulated for the existing plant by the Central/ State Govt. shall be ensured and regular reports submitted to the Ministry and its Regional Office at Lucknow, U.P.	All the conditions stipulated by the MoEF, RSPCB, CPCB or any other regulatory agency, are complied with and regular reports are sent to MoEF, Lucknow, CPCB, Bhopal and RSPCB Pali (RO) & Jaipur (HO).
2	As proposed only following will be carried out during modernization of existing plant to achieve capacity (4.80 MTPA): a) LV technology in separator and secondary crusher in Unit – II raw mill shall be provided to enhance raw material grinding capacity. b) Only 2 reclaimers shall undergo process modification. c) 2 Nos. of pre heater fan in new kiln and modification in pre heater cyclone ducts of old kiln shall be carried out. d) No new plant shall be installed without prior approval from the Ministry. e) No other modification shall be carried out without prior approval from the Ministry.	Agreed. All the equipment proposed for expansion have been installed. Noted and agreed Noted and agreed
3	Continuous stack monitoring facilities to monitor gaseous emissions from all the stacks shall be provided. After expansion limit of SPM shall be controlled within 50 mg/Nm ³ by installing adequate air pollution control system viz. Electrostatic precipitators / glass bag house, bag filters data on ambient air, fugitive and stack emissions shall be submitted to the Ministry's Regional Office at Lucknow, Rajasthan State Pollution Control Board (RSPCB) and CPCB regularly once in six months.	Continuous online stack monitoring equipment for measurement of SPM are installed at each major stack. ESPs, Bag houses with PTFE filtering media and Bag filters are provided at all the point sources. SPM from all the stacks is maintained below 50 mg/Nm ³ and regular reports submitted to the Ministry's Regional Office at Lucknow, Rajasthan State Pollution Control Board (RSPCB) and CPCB regularly once in six months. However, quarterly data on ambient air, fugitive and stack emissions are forwarded to RSPCB on regular basis.

4	The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16 th November, 2009 shall be followed.	We are monitoring PM-10, PM 2.5, SOx, NOx and CO in ambient air as prescribed in the NAAQS, dated 16.11.2011. Average results achieved during April'12 to Sept'12 are given in tabular form at point # 4, (b) General conditions. CAAQMS is also being installed for continuous online monitoring of ambient air quality.
5	Gaseous emission levels including secondary fugitive emissions from all the sources shall be controlled within the latest permissible limits issued by the Ministry and regularly monitored. Guidelines/Code of Practice issued by the CPCB shall be followed. New standards issued by the Ministry vide G.S.R. 414(E) dated 30 th May, 2008 to control the fugitive emissions shall be followed.	Action plan for controlling the fugitive dust emissions from all the sources has been prepared and is being implemented in a time bound manner in order to achieve the prescribed standards. Regular monitoring of fugitive dust emission is carried out at the prescribed intervals.
6	The company shall install adequate dust collection and extraction system to control fugitive dust emissions at various transfer points, raw mill handling (unloading, conveying, transporting, stacking), vehicular movement, bagging and packing areas etc. All the raw material stock piles shall be covered. A closed clinker stockpile system shall be provided.	Dust collectors, extraction systems and other measures provided to control fugitive emissions from various sources are as under:- <ul style="list-style-type: none"> • Bag House in Raw Mill & Kilns • ESPs in Coal Mill, Coolers, Cement Mills & Boilers • Jet Pulse filters provided to all transfer points • Water sprinkling systems provided at the raw material and Coal storage yard, Dump Hoppers and conveyors. All the dust collecting equipments as stated above are provided with an arrangement such that the collected material is completely recycled back into the process. Raw materials are stacked into stockpiles and water sprinklers are installed & operated at all the belt conveyors for dust suppression. Regular water sprinkling is also done in raw material yards and other unpaved areas
7	Asphalting/concreting of roads and water spray all around the stockyard and loading/unloading areas in the cement plant shall be carried out to control fugitive emissions. Regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of SPM and RPM such as haul road, loading and unloading points, transfer points and other vulnerable areas. It shall be ensured that the ambient air quality parameter conform to the norms prescribed by the Central Pollution Control Board in this regard.	All the major roads for vehicular movements and approach roads to raw material yards have already been concreted. Interlocking blocks have also been provided along the sides so as to control fugitive dust emission. All the transfer points are provided with Pulse Jet filters for effective control on fugitive emissions. Regular water sprinkling is done on coal, raw material (Gypsum, limestone, additives etc.) conveyors and also in the unpaved areas. The overall ambient air quality conforms to the prescribed norms.
8	Efforts shall be made to reduce impact of the raw materials and end products on the surrounding environment including agriculture land. All the raw materials including fly ash shall be transported in the closed containers only and shall not be overloaded. Vehicular emissions shall be kept under control and regularly monitored.	Raw materials are stored in stockpiles with regular water spray on conveyors while the material is being transported. In addition, Clinker, Raw meal, cement and fly ash are stored in covered silos. Transportation of fly ash is done in closed tankers under permissible loads. All the vehicles owned by the company are periodically maintained and checked for PUC.
9	Total ground water requirement for the cement plant after expansion shall not exceed 4,960 m ³ /day as per the permission accorded by the Central Ground Water Authority (CGWA) vide letter dated 28 th November, 2008. As proposed, air cooled condensers shall be installed in	Agreed. Air Cooled condenser in old thermal power plant has been commissioned and as proposed; the total groundwater requirement has now come down to 3000 M ³ /day. 100% of the treated waste water generated from the

	<p>captive power plant to further reduce fresh water consumption. All the treated waste water shall be recycled and reused in the process and/or for dust suppression and green belt development and other plant related activities etc. No process wastewater shall be discharged outside the factory premises and 'zero' discharge shall be adopted.</p>	<p>domestic STP and cooling tower blow down in Captive Power Plants is used in plantation & spraying on mine haul roads for dust suppression.</p> <p>Entire quantity of waste water generated as a result of cooling tower & boiler blow down is used within the premises and 'zero discharge' status is maintained.</p>
10	<p>Efforts shall be made to make use of rain water harvested. If needed, capacity of the reservoir shall be enhanced to meet the maximum water requirement. Only balance water requirement shall be met from other sources. An action plan shall be submitted to Ministry's Regional Office at Lucknow within 3 months from date of issue of this letter.</p>	<p>So far 33 no. of schemes for rainwater harvesting have been implemented. These include annicut, check dams, rooftop water harvesting, injection wells, bandhs in mining area and water collection pond.</p> <p>Action plan for rain water harvesting & groundwater recharge is already submitted with EC compliance dated 27.11.2010.</p>
11	<p>Sewage Treatment Plant (STP) shall be installed for the treatment of sewage from the colony and treated domestic effluent shall be used for green belt development within the plant premises. Domestic waste from colony and STP shall be segregated into bio-degradable and non-biodegradable. Bio-degradable waste shall be composted and non-biodegradable waste shall be land filled at identified sites.</p> <p>Effluent treatment plant (ETP) shall also be provided for workshop.</p>	<p>STP with 300 KLD capacity is installed and maintained to conform to the prescribed standards of waste water quality. As mentioned above, the treated STP water is used in plantation / Green belt development. Manure/ sludge is used in horticulture.</p> <p>Domestic waste is segregated and bi-degradable waste is subjected to vermi-composting while incinerable waste is burnt in suitably designed incinerators. Non-incinerable & non-biodegradable waste is suitably land filled</p> <p>Noted. Effluent from mine workshop is treated in a bar screen provided with oil & grease traps. Oil & grease free water is used in plantation in mines.</p>
12	<p>All the bag filter dust, raw meal dust, clinker dust and cement dust from pollution control devices shall be recycled and reused in the process and used for cement manufacturing.</p> <p>Spent oil and batteries shall be sold to authorized recyclers / re processors only.</p>	<p>100 % of the dust collected by the pollution control equipment such as ESPs, Bag Houses, Bag Filters etc. is recycled back into the process stream.</p> <p>Noted & agreed. We have obtained authorization from the RSPCB for sale of spent oil to authorized recyclers. Spent batteries are either returned to the manufacturer or sold to authorized recyclers.</p>
13	<p>All the fly ash generated from the existing power plant shall be utilized as per Fly Ash Notification, 1999, subsequently amended in 2003 and 2010. Efforts shall be made to use maximum fly ash in making Pozollona Portland Cement (PPC). Fly ash shall be stored in silos.</p>	<p>100 % of the fly ash/ bottom ash generated from the Captive Power Plants is used in manufacturing Portland Pozzolana Cement (PPC).</p>
14	<p>Efforts shall be made to use low grade lime, more fly ash and solid waste in the cement manufacturing.</p>	<p>Maximum use of marginal/ sub- grade limestone of Amli Mine is made while conserving the high grade limestone from the Thandiberi Mine. Our cement raw mix comprises 99.8% of limestone alone showcasing our resource use efficiency.</p>
15	<p>A Risk and Disaster Management Plan along with the mitigation measures shall be prepared and a copy submitted to the Ministry's Regional Office at Lucknow, RSPCB and CPCB within 3 months of issue of environmental clearance letter.</p>	<p>Risk & Disaster management plan has been prepared and copy already submitted with EC compliance dated 27.11.2010.</p>
16	<p>As proposed, green belt shall be developed in at least 38% area in and around the cement plant as per the CPCB guidelines to mitigate the effect of air emissions in consultation with local DFO. Further efforts shall be made to maintain the area properly already afforested.</p>	<p>During the current monsoon, 10055 saplings were planted in cement plant, Mines, CPP & township area with which we have achieved 38.47% of greenbelt around the cement plant alone. Efforts will be made to further increase the greenbelt with gradual increase in density of plants.</p> <p>District forest authorities are consulted time to time for guidance on selection of species, enhancing survival rate and other aspects of plantation. Existing plantation is being maintained properly.</p>
17	<p>Recommendation and permission of the State</p>	<p>Noted and agreed. Wildlife conservation plan has been</p>

	Forest Department regarding impact of proposed plant on surrounding reserves viz. Pindwara Endeyan RF-1, RF-2, Sivera Jod RF, Janapur Endeyan RF, Sadalwa Jod RF located within 10 km from the project site shall be obtained and implemented. Further Conservation Plan for the conservation of wild fauna in consultation with the State Forest Department shall be prepared and implemented.	prepared and is being implemented in consultation with local state forest department.												
18	All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Cement plants shall be implemented.	All the applicable conditions of the CREP are complied.												
19	At least 5 % of the total cost of the project shall be earmarked towards the corporate social responsibility and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office, Lucknow. Implementation of such program shall be ensured accordingly in a time bound manner.	5% of the project cost, i.e. Rs. 50 Lacs has been earmarked and is being utilized for the following CSR projects: <table border="1" data-bbox="841 604 1511 804"> <thead> <tr> <th>#</th> <th>CSR Project</th> <th>Expenditure (Rs. Lacs)</th> <th>Year of completion</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Rooms construction in Govt. Sr. Sec. School, Pindwara</td> <td>51.00</td> <td>2011-12</td> </tr> <tr> <td>2</td> <td>Water Harvesting structure in Malap</td> <td>2.00</td> <td>2011-12</td> </tr> </tbody> </table> <p>Both the above projects have been completed</p>	#	CSR Project	Expenditure (Rs. Lacs)	Year of completion	1	Rooms construction in Govt. Sr. Sec. School, Pindwara	51.00	2011-12	2	Water Harvesting structure in Malap	2.00	2011-12
#	CSR Project	Expenditure (Rs. Lacs)	Year of completion											
1	Rooms construction in Govt. Sr. Sec. School, Pindwara	51.00	2011-12											
2	Water Harvesting structure in Malap	2.00	2011-12											
20	The company shall provide housing for construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. the housing may be in the form of temporary structures to be removed after the completion of the project.	Not applicable as the current expansion is being effected through optimization of the existing equipment & processes and hence does not involve any major construction activities.												
(B) GENERAL CONDITIONS:														
1	The project authority shall adhere to the stipulations made by Rajasthan State Pollution Control Board (RSPCB) and State Government.	Agreed. All the stipulations made by RSPCB in their Consent to Establish & Consent to operate are being adhered to. Quarterly compliance reports are sent to the R.O., RSPCB on regular basis.												
2	No further expansion or modification of the plant shall be carried out without prior approval of this Ministry.	Agreed. No expansion will be carried out without prior approval of the MoEF.												
3	The gaseous and particulate matter emissions from various units shall conform to the standards prescribed by the RSPCB. At no time, particulate emissions from the cement plant including kiln, coal mill, and cement mill, cooler shall exceed beyond the permissible limit. Interlocking facility shall be provided in the pollution control equipment so that in the event of the pollution control equipment not working, the respective unit (s) is shut down automatically.	Emissions are well within the stipulated limits of EC. Present environmental parameters as per monitoring reports from April'11 to Sept'12 are given in the table below. All the pollution control equipments are interlocked with the corresponding process equipment.												

Stack	SPM – Old Cement Plant (mg/Nm ³)			SPM – New Cement Plant (mg/Nm ³)		
	Max.	Min.	Avg.	Max.	Min.	Avg.
Raw Mill & Kiln	21.93	16.76	19.96	21.63	14.59	18.24
Clinker Cooler	27.2	21.03	24.04	27.2	20.2	22.28
Coal Mill	27.63	22.87	25.25	27.11	21.87	24.78
Cement Mill - 1	26.15	21.85	23.84	-	-	-
Cement Mill - 2	25.15	20.19	23.02	-	-	-
Cement Mill - 3	-	-	-	25.12	17.45	20.62
Cement Mill - 4	-	-	-	20.15	17.26	18.76

4 At least four ambient air quality monitoring stations shall be established in the down wind direction as well as where maximum ground level concentration of SPM, SO₂ and NO_x are anticipated in consultation with the RSPCB. Ambient air quality including ambient noise levels shall not exceed the standards stipulated under EPA or by the State Authorities. Monitoring of ambient air quality shall be carried out regularly in consultation with RSPCB and data on ambient air quality and stack emissions shall be regularly submitted to this Ministry including its Regional Office at Lucknow, RSPCB and CPCB once in six months. The instruments used for ambient air quality monitoring shall be calibrated time to time.

Seven Ambient Air Quality Monitoring stations have been set up in consultation with RSPCB. Ambient Air Quality is monitored weekly. Parameters of AAQ are well within the stipulated norms. Parameters as per Monitoring Report from April'12 to Sept'12 are as follows :

Ambient Air Quality Stations	PM 10 (µgm/m ³)			PM 2.5 (µgm/m ³)			SO _x (µgm/m ³)			NO _x (µgm/m ³)		
	Max.	Min.	Avg.	Max.	Min.	Avg.	Max.	Min.	Avg.	Max.	Min.	Avg.
Coal Storage (Cement Plant)	72.58	60.09	67.07	35.07	18.33	26.07	9.6	6.83	8.25	5.17	4.38	4.7
Near Comp. Canteen	73.41	57.24	67.05	30.32	18.75	23.63	5	4.4	4.76	9	5.93	7.73
Near Guest House	60.24	40.02	52.87	33.33	14.58	22.84	5.6	3.5	4.3	3.53	2.18	2.77
Near Crusher	75.01	61.19	68.78	33.75	20.42	25.87	4.3	3.83	4.08	9.83	7.3	8.62
Raw Water Reservoir	74.52	59.13	68.11	29.36	17.08	23.61	4.68	4.1	4.4	7.73	6.08	6.64
Coal Storage (CPP)	75	58.03	67.39	35.83	20.83	26.26	8.78	5.45	7.49	7.08	4.58	6

5 Industrial waste water shall be properly collected and treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. The treated waste water shall be utilized for plantation purpose.

Effluent is generated from the Cooling Tower Blow down & Boiler Blow down and is properly treated before disposal. Treated effluent is used for dust suppression on haul roads. Results of the treated effluent are as under:

Parameter	Prescribed norms (mg/L)	Effluent Quality (mg/L)
pH	5.5 to 9.0	7.15
Total Suspended Solids	100	23
Oil & Grease	10	3.3
Free Available Chlorine	0.5	0.1
Iron as Fe	3	0.27
Phosphate as PO4	5	0.25
Total Chromium	2	0.08
Zinc as Zn	5	0.02
BOD 3 days @ 27 °C	30	5.08
COD	250	24

6	<p>The overall noise levels in and around the plant area shall be kept well within the standards (85dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environmental (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).</p>	<p>All necessary noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation are in place and properly maintained.</p> <p>Workplace noise level survey is conducted on regular basis to identify areas with high noise levels. Corrective / preventive actions are taken if the noise levels exceed the permissible limits as stipulated in the EP/Factories Act.</p> <p>Workers employed in High Noise Area are provided with proper PPEs and their exposure to noise is controlled within the permissible limits. Periodic audiometric tests of the workmen employed in High Noise Area is also conducted as part of Workers' Health Surveillance Program.</p> <p>Ambient Noise level is monitored regularly and is controlled within the stipulated limit. Noise level statistics for the period April' 12 to Sept' 12 is as under:</p>																																																										
	<table border="1"> <thead> <tr> <th rowspan="3">Ambient Noise Level Monitoring Stations</th> <th colspan="6">Noise Level (dBA)</th> </tr> <tr> <th colspan="3">Day</th> <th colspan="3">Night</th> </tr> <tr> <th>Max.</th> <th>Min.</th> <th>Avg.</th> <th>Max.</th> <th>Min.</th> <th>Avg.</th> </tr> </thead> <tbody> <tr> <td>Coal Storage (Cement Plant)</td> <td>63</td> <td>61.75</td> <td>62.4</td> <td>58.08</td> <td>55.98</td> <td>57.1</td> </tr> <tr> <td>Near Comp. Canteen</td> <td>66.3</td> <td>64.5</td> <td>65.1</td> <td>63.05</td> <td>60.68</td> <td>62</td> </tr> <tr> <td>Near Guest House</td> <td>53.15</td> <td>51.1</td> <td>52.3</td> <td>46.8</td> <td>41.75</td> <td>43.4</td> </tr> <tr> <td>Raw Water Reservoir</td> <td>63.93</td> <td>61.9</td> <td>62.9</td> <td>60.73</td> <td>58.38</td> <td>60</td> </tr> <tr> <td>Coal Storage (CPP)</td> <td>62.58</td> <td>60.15</td> <td>61</td> <td>60.63</td> <td>54.78</td> <td>57.6</td> </tr> </tbody> </table>						Ambient Noise Level Monitoring Stations	Noise Level (dBA)						Day			Night			Max.	Min.	Avg.	Max.	Min.	Avg.	Coal Storage (Cement Plant)	63	61.75	62.4	58.08	55.98	57.1	Near Comp. Canteen	66.3	64.5	65.1	63.05	60.68	62	Near Guest House	53.15	51.1	52.3	46.8	41.75	43.4	Raw Water Reservoir	63.93	61.9	62.9	60.73	58.38	60	Coal Storage (CPP)	62.58	60.15	61	60.63	54.78	57.6
Ambient Noise Level Monitoring Stations	Noise Level (dBA)																																																											
	Day			Night																																																								
	Max.	Min.	Avg.	Max.	Min.	Avg.																																																						
Coal Storage (Cement Plant)	63	61.75	62.4	58.08	55.98	57.1																																																						
Near Comp. Canteen	66.3	64.5	65.1	63.05	60.68	62																																																						
Near Guest House	53.15	51.1	52.3	46.8	41.75	43.4																																																						
Raw Water Reservoir	63.93	61.9	62.9	60.73	58.38	60																																																						
Coal Storage (CPP)	62.58	60.15	61	60.63	54.78	57.6																																																						
7	<p>Proper housekeeping and adequate occupational health programmes shall be taken up. Occupational Health Surveillance programme shall be done on a regular basis and records maintained properly for at least 30 – 40 years. The programme shall include lung function and sputum analysis tests once in six months. Sufficient preventive measures shall be adopted to avoid direct exposures to dust etc.</p>	<p>Good housekeeping is maintained all around the plant premises. Vacuum sweeping machine is deployed for cleaning of the dust prone area such as Packing Plant, Cement Mill, Kiln, Coal Mill etc. while other areas are manually cleaned.</p> <p>Occupational health check up (including lung function & sputum analysis) is carried out once in six months for the employees working in high dust and high noise area and once in a year for other employees. So far no person is reported to be affected with any occupational diseases. Health monitoring & measurement records of individual employee are maintained.</p>																																																										
8	The company shall harvest the rainwater from	Entire rooftop in township is covered under rainwater																																																										

	the roof tops and storm water drains to recharge the ground water and use the same water for the various activities of the project to conserve fresh water.	harvesting wherein the rooftop water is collected and channeled into different injection wells, pond and check dams constructed in the township.
9	The company shall undertake eco-development measures including community welfare measures in the project area.	<p>Company has undertaken various schemes aimed at community development and rural upliftment in the project area. These include, but not limited to the following:</p> <ol style="list-style-type: none"> 1. Runnig 2 Vaikalpic Vidyalayas in village Thandiberi 2. Providing drinking water to nearby villages through tankers during draughts 3. Construction of 90 Nos. of Hand Pumps in the area 4. Medical facilities to nearby villages through Padma Binani Health Centre, Binanigram 5. Free consultation & distribution of medicines 6. Distribution of books and other study material to Adivasi Hostel students 7. Tailoring training centre for adivasi women in Amli village 8. Construction of 15 Nos. of menzers for cattle in the nearby villages (Sabela, Varli, Malap, Amli) 9. Construction of water harvesting structures in Amli, Sadalwa and Malap villages for the benefit of communities.
10	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP.	The environmental protection measures & safeguards as envisaged in the EIA /EMP such as Green Belt development, Monitoring of AAQ, Installation of Pollution Control Equipment, Rain water harvesting, Conservation of Flora and Fauna, GHG mitigation etc. are complied with.
11	A separate environmental management cell with full fledged laboratory facilities to carry out various management and monitoring functions shall be set up under the control of Senior Executive.	A separate Environment Management Cell is already set up under the control of Plant Head in order to oversee effective implementation of environment protection measures and to monitor the routine environmental performance within the premises.
12	As proposed, Rs. 52.00 Lakhs and Rs. 6.00 Lakhs shall be earmarked towards the capital cost and recurring cost/annum for environmental pollution control measures shall be used judiciously to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government. Time bound implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Ministry. The funds so provided shall not be diverted for any other purpose.	<p>Noted & agreed. Statement of expenditure on environmental management shall be submitted at the end of current financial year.</p> <p>Time bound schedule for implementation of all the stipulated conditions has already been mentioned at the relevant points of this compliance report.</p>

13	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad / Municipal Corporation, Urban Local Body and the local NGO, if any from whom suggestions / representations, if any were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent.	Copies of the EC have been sent to Panchayat, village Amli, Zila Parishad, Sirohi, Municipality, Pindwara and to the local NGO. Copy of the EC is posted on the company's website (www.binani.com) for public display.
14	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MoEF, the respective Zonal Office of CPCB and the RSPCB. The criteria pollutant levels namely SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Six monthly compliance reports in respect of Post Environment Clearance Monitoring (Rule 10 of EIA Notification, 2006, dated 14.09.2006) are timely submitted in hard and soft copies to the concerned regulatory authorities. Copies of these reports as well as the annual Environment Statement as submitted to the RSPCB, are also uploaded on the company's website (www.binani.com) for public viewing in compliance to the Ministry's Circular dated 30.06.2009 .
15	The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MoEF, the Zonal Office of CPCB and the RSPCB. The Regional Office of this Ministry at Lucknow / CPCB / RSPCB shall monitor the stipulated conditions.	Six monthly reports along with the monitored data are regularly sent to the concerned authorities in hard and soft copies.
16	The environmental statement for each financial year ending 31 st March in Form – V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the Regional Office of the MoEF by e-mail.	Annual Environment Statement is regularly sent to the RSPCB, MoEF Lucknow and CPCB, Bhopal. In addition, a copy of the statement is also uploaded on the company's website. Environment statement for the year 2011-12 has been submitted on 04.07.2012 to above mentioned authorities and is also displayed on our company website.
17	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the RSPCB and may also be seen at website of the Ministry of Environment and Forests at http://envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which on e shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the Regional Office at Lucknow.	The Public were informed of the grant of Environment Clearance through an advertisement in the Rajasthan Patrika, Dainik Bhaskar and Dainik Navjyoti dated 09th June 2010 . Copies of the news paper clippings have been submitted to the Regional Office of the MoEF immediately after the grant of Environment Clearance.

18	Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	<p>A. Date of final approval of the project - 31.07.2009</p> <p>B. Date of financial closure - 31.10.2010</p> <p>C. Date of commencement of Land Development work - 05.05.2010</p>
19	The Regional Office of this Ministry at Lucknow / CPCB / RSPCB shall monitor the stipulated conditions. A six monthly compliance report and the monitored data along with statistical interpretation shall be submitted to them regularly.	As above (Point Nos. 14,15 & 16)

Authorized Signatory